MATERIAL SAFETY DATA SHEET: 10108 OR ODOR ELIM 12X8

DATE OF ISSUE: 03/18/2002 SUPERCEDES: 08/09/1999

SECTION I - GENERAL INFORMATION

Chemical Name & Synonyms:

Chemical Family:

AQUEOUS BACTERIAL SUSPENSION

Manufacturer's Name: THE BRAMTON COMPANY

Address:

P.O. BOX 655450 DALLAS, TX 752655450

Prepared By: L Boynton/Chemist Product Code Number

0316

Emergency Phone Number

Trade Name & Synonyms: 10108 OR ODOR ELIM 12X8

Formula Mixture: X

800-424-9300

SECTION II - HAZARDOUS INGREDIENTS

THE HAZARDS PRESENTED BELOW ARE THOSE OF THE INDIVIDUAL COMPONENTS

Chemical Name (Ingredients)	Hazard	TLV	<u>PEL</u>	<u>STEL</u>	CAS#	
ISOPROPYL ALCOHOL	IRRITANT	400PPM1.	400 PPM 2.	N/E	67-63-0	
BACTERIAL SPORES	IRRITANT	N/E1.	N/E2.	N/E	68038-70-0	
SUBTILISIN	SENSITIZER	N/E1.	N/E2.	0.00006\$ 1	9014-01-1	
\$ AS MG/M3						
SODIUM CHLORIDE	IRRITANT	N/E1.	N/E2.	N/E	7647-14-5	

SECTION III - PHYSICAL DATA

Boiling Point (f): Specific Gravity (H20=1): 1.0344 212° Vapor Pressure (MM HG): 16.4 Color: **MILKY-WHITE CHERRY-VANILLA** 0.63 Odor: Vapor Density (Air=1): **OPAQUE** PH@100%: 9.1 Clarity % Volatile by Volume: 95 Evaporation Rate (BU A/C=1): 0.6

H20 Solubility: COMPLETE Viscosity: **NON-VISCOUS**

SECTION IV - FIRE AND EXPLOSION HAZARD

Flammable Limits: LEL: DEL: Flash Point: >200"F / SETAFLASH N/A N/A

Extinguishing Media:

Alcohol Foam:X C02:X Dry Chemical:X Water Spray:X Other: Foam:X

Special Fire Fighting Procedures:

FIREFIGHTERS SHOULD WEAR A SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE GEAR. EXTINGUISHING MEDIA SHOULD BE CHOSEN BASED ON THE NATURE OF THE SURROUNDING FIRE.

Unusual Fire and Explosion Hazards:

NONE KNOWN.

NFPA Hazard Rating: (0=Insignificant 1=Slight 2=Moderate 3=High 4=Extreme)

Health:2 Flammability:1 Instability^ Special:

SECTION V - HEALTH HAZARD DATA

Threshold Limit Value:

400 PPM AS ISOPROPYL ALCOHOL 1.

Effects of Overexposure:

-Acute(Short Term Exposure)

EYE CONTACT: CAUSES IRRITATION SEEN AS REDNESS AND TEARING. SKIN CONTACT: MAY CAUSE IRRITATION SEEN AS ITCHING AND REDNESS. WHILE THE BACTERIA IN THIS PRODUCT ARE NON-PATHOGENIC, CONTACT WITH OPEN SORES OR CUTS CAN CAUSE OPPORTUNISTIC INFECTIONS IN IMMUNO-SUPPRESSED INDIVIDUALS. INHALATION: CAUSES RESPIRATORY IRRITATION SEEN AS COUGHING AND SNEEZING. MAY CAUSE HEADACHES, DIZZINESS AND ALLERGIC REACTIONS IN SENSITIVE INDIVIDUALS. SYMPTOMS INCLUDE SHORTNESS OF BREATH, WHEEZING AND COUGHING. INGESTION: CAUSES IRRITATION WITH POSSIBLE NAUSEA. VOMITING AND DIARRHEA. INGESTION AND SUBSEQUENT VOMITING OF THIS PRODUCT CAN LEAD TO BRONCHIOPNEUMONIA OR PULMONARY EDEMA.

-Chronic (Long Term Exposure)

- MAY CAUSE RESPIRATORY SENSITIZATION IN SOME INDIVIDUALS. THE ENZYMES RELEASE BRADYKININ AND HISTAMINE, LEADING TO BRONCHOSPASM. RELEASE OF "SLOW REACTING SUBSTANCE" MAY BE THE CAUSE OF DELAYED BRONCHOSPASM. CHRONIC OVEREXPOSURE BY INGESTING SODIUM CHLORIDE CAUSES ELEVATED BLOOD PRESSURE. MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE ARE PRE-EXISTING RESPIRATORY AND SKIN CONDITIONS SUCH AS ASTHMA, EMPHYSEMA AND DERMATITIS. TARGET ORGANS: CENTRAL NERVOUS SYSTEM, PULMONARY SYSTEM AND LUNGS.

Primary Routes of Entry: InhalatioirX Ingestion: Absorption

Emergency and First Aid Procedures:

-Inhalation:

REMOVE FROM THE AREA TO FRESH AIR. IF NOT BREATHING, CLEAR THE AIRWAY AND START MOUTH TO MOUTH ARTIFICIAL RESPIRATION. GET IMMEDIATE MEDICAL ATTENTION.

-Eye Contact:

RINSE THE EYES WITH WATER. REMOVE ANY CONTACT LENSES AND CONTINUE FLUSHING WITH PLENTY OF WATER FOR SEVERAL MINUTES. SEEK MEDICAL ATTENTION IF IRRITATION DEVELOPS.

-Skin Contact:

WASH AFFECTED AREAS WITH PLENTY OF SOAP AND WATER FOR SEVERAL MINUTES. SEEK MEDICAL ATTENTION IF IRRITATION DEVELOPS.

-Ingestion:

IADC No

GIVE 3 TO 4 GLASSES OF WATER, BUT DO NOT INDUCE VOMITING. IF VOMITING OCCURS, GIVE FLUIDS AGAIN. SEEK MEDICAL ATTENTION IF DISCOMFORT OCCURS.

-Notes to Physician:

THE BACTERIA IN THIS PRODUCT, BACILLUS SUBTILLUS, IS NOT NORMALLY PATHOGENIC; BUT AS WITH ANY BACTERIA, OPPORTUNISTIC INFECTIONS IN IMMUNOCOMPROMISED INDIVIDUALS CAN OCCUR FOLLOWING EXPOSURE TO BROKEN SKIN OR BY INHALATION OF THE MIST.

SECTION VI . TOXICITY INFORMATION

ACCIU. No

OTHED NO

Product Contains Chemicals Listed as Carcinogen or Potential Carcinogen By:

NITD.No.

IARC:No	NIP:No	OSHA: No	ACGIH: No	OTHER:No
ISOPROPYL AL	COHOL			
ORL-HMN LDI	ω: 3570 MG/KG 3.			
	50: 5045 MG/KG 3.			
	50: 16000 PPM/8H 3.			
	50: 12800 MG/KG 3.			
	T: 500 MG MILD 3.			
EYE-RBT-SD1	T: 10 MG MODERATE 3.			
BACTERIAL SE	MODIFE			
	DATA AVAILABLE			
NO TOXICITI				
SUBTILISIN				
ORL-RAT LD	50: 3700 MG/KG 3.			
EYE-RBT-SD7	T: 3 MG MODERATE 3.			
SODIUM CHLOF				
	Lo: 12,357 MG/KG/23D-C	3.		
	50: 3 GM/KG	3.		
	50: >42 GM/M3/1H			
	50: >10 GM/KG	3.		
	Γ: 500 MG/24H MILD	3.		
EYE-RBT-SD	T: 100 MG/24H MODERATE	3.		

OCHA, No

SECTION VII - REACTIVITY DATA

Stability: Stable: X Unstable:

Conditions to Avoid: AVOID EXTREME TEMPERATURES.

Incompatibility (Materials to Avoid):

STRONG OXIDIZING AGENTS SUCH AS CHLORINE BLEACH AND CONCENTRATED HYDROGEN PEROXIDE; ALDEHYDES, ALKANOLAMINES, AMINES, BROMINE TRIFLUORIDE, CAUSTICS, CHLORINATED COMPOUNDS, DICHLOROMALEIC ANHYDRIDE WITH UREA AND LITHIUM AND DISINFECTANTS.

Hazardous Decomposition Products:

OXIDES OF CARBON AND NITROGEN; FUMES OF CHLORINE AND SODIUM OXIDE.

Hazardous Polymerization:

May Occur:

Will Not OccurX

Conditions to Avoid: N/A

SECTION VIII - SPILL OR LEAK PROCEDURES

Steps to be Taken if Material is Released or Spilled:

WEAR APPROPRIATE PROTECTIVE CLOTHING. USE CARE AS SPILLS MAY BE SLIPPERY. VENTILATE THE AREA. DIKE AND CONTAIN SPILL. ABSORB WITH AN INERT MATERIAL AND TRANSFER ALL MATERIAL INTO A PROPERLY LABELED CONTAINER FOR DISPOSAL. PREVENT PRODUCT FROM CONTAMINATING SOIL OR FROM ENTERING SEWAGE AND DRAINAGE SYSTEMS AND BODIES OF WATER. FLUSH AREA WITH WATER.

Waste Disposal Method(s):

DISPOSE OF IN ACCORDANCE WITH ALL FEDERAL, STATE AND LOCAL REGULATIONS.

Neutralizing Agent:

N/A

SECTION IX • SPECIAL PROTECTION INFORMATION

Required Ventilation:

LOCAL VENTILATION IS RECOMMENDED TO CONTROL EXPOSURE FROM OPERATIONS THAT CAN GENERATE MISTS.

Respiratory Protection:

A NIOSH/MSHA APPROVED RESPIRATOR FOR EXPOSURE ABOVE THE ACGIH TLV OR OSHA PEL OR WHERE MISTING EXISTS.

Glove Protection:

NEOPRENE OR NITRILE RUBBER GLOVES IF REPEATED OR PROLONGED SKIN CONTACT IS LIKELY.

Eye Protection:

SAFETY GLASSES WITH SIDE SHIELDS IF THE METHOD OF USE PRESENTS THE LIKELIHOOD OF EYE CONTACT.

Other Protection:

N/A

SECTION X - STORAGE AND HANDLING INFORMATION

Storage Temperature: Indoors:X Outdoors: Heated: Refrigerated:

Minimum Temperature: 32°F Maximum Temperature: 104°F Maximum Temperature: 104°F

Precautions to be taken in Handling and Storing:

ALWAYS STORE MATERIAL IN ITS ORIGINAL CONTAINER. KEEP CONTAINER TIGHTLY CLOSED WHEN NOT IN USE. DO NOT ALLOW PRODUCT TO FREEZE.

Other Precautions:

DO NOT USE IN CONJUNCTION WITH BLEACH OR OTHER HOUSEHOLD DISINFECTANTS AS THEY MAY INACTIVATE THIS PRODUCT. KEEP OUT OF REACH OF CHILDREN. READ THE ENTIRE LABEL BEFORE USING THE PRODUCT. FOLLOW THE LABEL DIRECTIONS.

SECTION XI • REGULATORY INFORMATION

Chemical Name CAS Number Upper % Limit

Those Ingredients listed above are subject to the reporting requirements of 313 of Title III& of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR part 372.

PLEASE CALL 1-800-527-9919 FOR ADDITIONAL INFORMATION IF YOU ARE A CALIFORNIA CUSTOMER.

THIS MSDS IS NOT INTENDED FOR USERS IN THE STATE OF CALIFORNIA

SECTION XII - REFERENCES

- 1. THRESHOLD LIMIT VALUES FOR CHEMICAL SUBSTANCES AND PHYSICAL AGENTS AND BIOLOGICAL EXPOSURE INDICES, ACGIH, 2001.
- 2. OSHA PEL.
- 3. REGISTRY OF TOXIC EFFECTS OF CHEMICAL SUBSTANCES, CCINFODisC, 2001.
- ALL COMPONENTS IN THIS PRODUCT CAN BE FOUND IN THE CURRENT TSCA INVENTORY.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED ACCURATE IN LIGHT OF CURRENT FORMULATION.HO THE BRAMTON COMPANY assumes no responsibility for personal injury or property damage caused by the use, storage, or disposal of the