



Reviewed on 11/19/2012

1 Identification of the substance/mixture and of the company/undertaking

- · Product identifier
- · Trade name: 40502, 40507 QUICK SET 50 Adhesive
- · Article number: 40502, 40507
- *Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.*
- Application of the substance / the preparation coating ADHESIVE
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: SEM Products Inc. 1685 Overview Drive Rock Hill, SC 29730 803 207 8225
- Information department: cust_care@semproducts.com : SEM Products,Inc. 1685 Overview Dr. Rock Hill, SC 29730 : phone 1-800-831-1122, M - TH 7am - 4pm EDT
 Emergency telephone number: 24 HR EMERGENCY CHEMTREC 1-800-424-9300

2 Hazards identification

· Classification of the substance or mixture

GHS08 Health hazard

Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Carc. 2 H351 Suspected of causing cancer.

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.

GHS07

- Skin Irrit. 2 H315 Causes skin irritation.
- Eye Irrit. 2A H319 Causes serious eye irritation.
- Skin Sens. 1 H317 May cause an allergic skin reaction.
- STOT SE 3 H335 May cause respiratory irritation.

· Label elements

- · GHS label elements The product is classified and labelled according to the Globally Harmonized System (GHS).
- · Hazard pictograms GHS07, GHS08
- · Signal word Danger
- · Hazard-determining components of labelling:
- 4,4'-methylenediphenyl diisocyanate
- methylenediphenyl diisocyanate

· Hazard statements


- H315 Causes skin irritation.
- H319 Causes serious eye irritation. H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- H317 May cause an allergic skin reaction.

(Contd. on page 2)

USA

Printing date 01/30/2013

Reviewed on 11/19/2012



- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

4,4'-methylenediphenyl diisocyanate	30 - 40
& Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; (1) Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335	
Polyurethane prepolymer/ Proprietary	
🚸 Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335	
Alkylated glycerol / proprietary	13 - 30
🚸 Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335	
Polyurethane prepolymer / Proprietary	7 - 10%
🚸 Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335	
Hydroxy terminated poly(oxyalkylated)polyol / proprietary	1.5 - 59
𝚯 Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335	

Printing date 01/30/2013

Reviewed on 11/19/2012

Trade name: 40502, 40507 QUICK SET 50 Adhesive

(Contd. of page 2) 1.5 - 5%

4 First aid measures

· Description of first aid measures

• General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation:
- Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Firefighting measures

- · Extinguishing media
- Suitable extinguishing agents: CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.

• Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.

- Reference to other sections
- See Section 7 for information on safe handling.
- *See Section 8 for information on personal protection equipment.*

See Section 13 for disposal information.

(Contd. on page 4)

Printing date 01/30/2013

Reviewed on 11/19/2012

Trade name: 40502, 40507 QUICK SET 50 Adhesive

(Contd. of page 3)

7 Handling and storage

- · Handling:
- Precautions for safe handling
- No special measures required.
- Ensure good ventilation/exhaustion at the workplace.
- Prevent formation of aerosols.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- $\cdot \textit{Further information about storage conditions: Keep receptacle tightly sealed.}$
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

- · Control parameters
- · Components with limit values that require monitoring at the workplace:

101-68-8 4,4'-methylenediphenyl diisocyanate

- PEL () Short-term value: C 0.2 mg/m³, C 0.02 ppm
- REL () Short-term value: C 0.2* mg/m³, C 0.02* ppm Long-term value: 0.05 mg/m³, 0.005 ppm *10-min
- *TLV*() 0.051 mg/m³, 0.005 ppm

• Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Avoid contact with the eyes and skin.
- Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation (Contd. on page 5)



SEM

Reviewed on 11/19/2012

Trade name: 40502, 40507 QUICK SET 50 Adhesive

· Material of gloves

(Contd. of page 4)

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. • Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

General Information	
Appearance:	
Form:	Liquid
Color:	According to product specification
Odor:	Characteristic
Odour threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	208 °C
Flash point:	94 °C
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	520 °C
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
	In use, may form flammable/explosive vapour-air mixture.
Explosion limits:	
Lower:	0.4 Vol %
Upper:	Not determined.
Vapor pressure:	Not determined.
Density at 20 °C:	1.117 g/cm ³
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix.

USA

Printing date 01/30/2013

Reviewed on 11/19/2012

Trade name: 40502, 40507 QUICK SET 50 Adhesive

		(Contd. of page
· Partition coefficient (n-octand	ol/water): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	0.0 %	
Solids content:	100.0 %	
• Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:

· LD/LC50 values that are relevant for classification:

101-68-8 4,4'-methylenediphenyl diisocyanate

Oral LD50 2200 mg/kg (mouse)

- · Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- Sensitization: Sensitization possible through inhalation.
- Sensitization possible through skin contact.

• Additional toxicological information: The product shows the following dangers according to internally approved calculation methods for preparations: Harmful Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

101-68-8 4,4'-methylenediphenyl diisocyanate

· NTP (National Toxicology Program)

None of the ingredients is listed.

USA (Contd. on page 7)

3

Printing date 01/30/2013



Reviewed on 11/19/2012

Trade name: 40502, 40507 QUICK SET 50 Adhesive

(Contd. of page 6)

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

id
id
id
,
t applicable.
t applicable.

(Contd. on page 8)

Page 7/9

Printing date 01/30/2013

Reviewed on 11/19/2012

SEM

Trade name: 40502, 40507 QUICK SET 50 Adhesive

(Contd. of page 7)

\cdot Safety, health and environmental regulations/legislation specific for the substance of	or mixture
· Sara	
• Section 355 (extremely hazardous substances): None of the ingredient is listed.	
Section 313 (Specific toxic chemical listings):	
101-68-8 4,4'-methylenediphenyl diisocyanate	
26447-40-5 methylenediphenyl diisocyanate	
TSCA (Toxic Substances Control Act):	
101-68-8 4,4'-methylenediphenyl diisocyanate	
26447-40-5 methylenediphenyl diisocyanate	
Proposition 65	
Chemicals known to cause cancer:	
None of the ingredients is listed.	
• Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
• Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
Cancerogenity categories	
· EPA (Environmental Protection Agency)	
101-68-8 4,4'-methylenediphenyl diisocyanate	Cl
TLV (Threshold Limit Value established by ACGIH)	· · ·
None of the ingredients is listed.	
NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	
• OSHA-Ca (Occupational Safety & Health Administration)	
None of the ingredients is listed.	
• GHS label elements The product is classified and labelled according to the Globally I • Hazard pictograms GHS07, GHS08 • Signal word Danger	Harmonized System (GH
• Hazard-determining components of labelling: 4,4'-methylenediphenyl diisocyanate	
methylenediphenyl diisocyanate	
Hazard statements	
H315 Causes skin irritation. H319 Causes serious eye irritation.	
H319 Causes serious eye irritation. H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.	
H317 May cause an allergic skin reaction.	
H351 Suspected of causing cancer.	
H335 May cause respiratory irritation.	
H373 May cause damage to organs through prolonged or repeated exposure.	(Contd. on pa

Printing date 01/30/2013

Reviewed on 11/19/2012

Trade name: 40502, 40507 QUICK SET 50 Adhesive

(Cond. of page 8)
tements
Do not breathe dust/fume/gas/mist/vapours/spray.
In case of inadequate ventilation wear respiratory protection.
8 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
present and easy to do. Continue rinsing.
Specific treatment (see on this label).
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international
regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing MSDS: Environment protection department.
- · Contact: Steve Gaver
- Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organization

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

USA

(Contd. of page 8)