

MATERIAL SAFETY DATA SHEET

TRIBRIAL SAFEII	DAIA SHEET
Section I - Identification	
Manufacturer AGS Company(American Grease St	
2651 Hoyt Street Phone:	800-253-0403
Muskegon Hts., MI 49444	NFPA
Trade Name Power Steering Fluid (Cat. No.	s. PS-12, PS-18)
Common Name Power Steering Fluid	Chemical Family Mixture
Section II - Hazardous Ingredients	•
Hazardous	
	No. Wgt. % TLV
1. Solvent Refined Heavy Paraffinic Oil 647	41-88-4 > 40% 5 mg/m ³
Severely Hydrotreated HeavyNaphthenic Oil 6474	$\frac{3}{42-52-5}$ < 35% 5 mg/m ₂
4. Solvent Refined Light ParaffinicOil 647	41-89-5 < 20% 5 mg/m ³
5	
6	
8.	
9.	
10. 11.	
12.	
Section III - Physical <u>Data</u>	
Ph as Supplied Not Determined	Boiling Point > 500°F.
•	% Volatiles Nil
	Vapor Press < 0.1 mmHg @ 38°C mmHg
Specific Grav. (H ₂ O=1) 0.89	Vapor Density (Air=1)>1
Melt Point Not Applicable	
Appearance Clear amber liquid, lube	
	Original Issue Date 11/14/85 Revision No. 1 Date 12/05/88
	WEATSTON NO. 1 DECC 15/03/00

Page 1 of 4

Section	T V -	rire	δε	Expl	losion	Data

Flash Pt. 350°F. Method C.O.C.	
Auto Ignition Temp. Not Determined	
Flammable Limits LELNot Determined_UELNot Determined	
Extinguishing Media CO ₂ , foam, dry chemical and water spray.	
Special Procedures Use water to cool fire-exposed containers. Use water to	
minimize vapors.	
Unusual Hazards Water or foam may cause frothing.	
Section V - Reactivity Data	
Unstable Conditions and Auto ReactiveStable	
Incompatible MaterialsOxidizers	
Hazardous Decomposition ProductsOxides of Carbon	
Section VI - Emergency First Aid	
Eyes_ Flush with water for at least 15 minutes. Get medical attention if	
irritation persists.	
Skin Wash with soap and water. Remove contaminated clothes and shoes, launder	
before reuse. Consult physician if adverse effects occur.	
Ingestion Do not induce vomiting. Get medical attention. Keep patient	
quiet and warm.	
Inhalation Remove to fresh air. Administer oxygen or artificial respiration	
as required. Consult a physician.	
Original Issue Date 11/14/85	
Revision No. 1 Date 12/05/88	

Section VII - Health Effects

Eyes	May cause irritation.
Skin	May cause irritation with possible redness, edema, or drying of skin.
Inhalat	ion May cause irritation.
Ingesti	on Not Known
Other E	Effects Aspiration into lungs can cause chemical pneumonitis.
	·
	- Ventilation and Protective Measures ation Requirements General exhaust adequate to maintain concentration below TLV's.
	atory_If needed, wear NIOSH-approved respirator where the TLV is
TO THE TOTAL PROPERTY OF THE TOTAL PROPERTY	exceeded or not known.
Eyes	Safety glasses with side shields.
Gloves_	Oil resistant
Other_	Eye bath and safety shower in work area.

Section IX - Storage and Handling Procedures Conditions to Avoid Periods of exposure to high temperature should be minimized. Water contamination should be avoided. Other Precautions None Section X - Spill Procedures and Waste Disposal Accidental Release or Spill Procedures Contain spill if possible. Wipe up or absorb on suitable material. Waste Disposal Method Not known Special Restrictions on Waste Disposal Removal by an approved, licensed waste hauler.

The Information Herein Is Given In Good Faith, But No Warranty, Expressed Or Implied, Is Made.

Tommy Jones, Manager Technical Resources

Revision No. 1 Date 12/05/88

Original Issue Date_

11/14/85