

MATERIAL SAFETY DATA SHEET

MSDS No. L 8 Date Issued Nov. 15, 1985 Date Revised Nov. 28, 2012 HMIS Rating for Sulfuric Acid 3 0 2 X X= Acid

(respirable

thoracic fraction)

					00.20,2012		
Chemical/Trade Name (identity used		Chemical Family/Classification		HMIS Rating for Sulfuric Acid			
Lead Acid Battery		Electric Stora	ge Battery	3 0 2 X	X= Acid		
Synonyms/Common Name		DOT, IATA and IMO Description					
SLI Battery	Battery, We	, Wet, Filled with Acid, UN 2794, Class 8					
Company Name		Address					
Johnson Controls Battery Group Inc.		P.O. Box 591	P.O. Box 591				
Division or Department		Milwaukee, W	Milwaukee, WI 53201				
Power Solutions							
CONTAC		TELEPHONE NUMBER Day: SLI: (800) 333-2222 ext. 3138					
Questions Concerning MSDS	Day:						
Industrial Hygiene, Safety & Security -							-
Automotive Systems, Battery	у						
Transportation Emergencies							
CHEMTREC	24 Hours: (80	24 Hours: (800) 424-9300					
II. Hazardous Ingredients							
Material	% by	Wt. CAS Number	Eight Hour Exposure Limits				
			OSHA PEL	ACGIH TLV	Other		
Specific Chemical Identity					NIOSH		
Lead					REL		
Common Name	34	7439-92-1	50 μg/m ³	150 μg/m ³	100 μg/m ³		
Grid							
Specific Chemical Identity					NIOSH		
Lead Dioxide					REL		
Common Name	31	1309-60-0	50 μg/m ³	150 μg/m ³	100 μg/m ³		
Lead Oxide							
Specific Chemical Identity					NIOSH		
Lead Sulfate					REL		
Common Name	<1	7446-14-2	50 μg/m ³	150 μg/m ³	100 μg/m ³		
Anglesite							
Specific Chemical Identity				1 mg/m ³	NIOSH		
Sulfuric Acid (35%)				STEL	REL		
Common Name	34	7664-93-9	1mg/m ³	0.2 mg/m ³	1 mg/m ³		
				/ • • •	1		

NOTE: The contents of this product are toxic chemicals that are subject to the reporting requirements of section 302 and 313 of the Emergency Planning and Community Right-To-Know Act of 1986 (40CFR 355 and 372).

Appearance and Odor Battery Electrolyte (acid) is a clear to cloudy liquid with slight acidic odor. Acid saturated lead oxide		
acidic odor.		
Vapor Pressure ⊠(mm Hg at 20°C) Ž(PSIG)		
Battery Electrolyte (Acid) 11.7		
Solubility is H ₂ O		
Lead and Lead Dioxide are not soluble.		
Battery Electrolyte (acid) is 100% soluble in water.		
Evaporation rate (Butyl Acetate = 1)		
Not Determined		

Form 8573 (Rev. 06/02)

Battery Electrolyte (Acid)

. .

.

IV. Health Hazard Information

NOTE: Under normal conditions of battery use, internal components will not present a health hazard. The following information is provided for battery electrolyte (acid) and lead for exposure that may occur during battery production or container breakage or under extreme heat conditions such as fire

Inhalation

ROUTES AND METHODS OF ENTRY

Acid mist generated during battery formation may cause respiratory irritation. Spillage of acid from batteries in confined areas may also lead to exposure to sulfuric acid mist.

Skin Contact

Battery electrolyte (acid) can cause severe irritation, burns and ulceration.

Skin Absorption

Skin absorption is not a significant route of entry.

Eye Contact

Battery electrolyte (acid) can cause severe irritation, burns, and cornea damage upon contact.

Ingestion

Hands contaminated by contact with internal components of a battery can cause ingestion of lead/lead compounds. Hands should be washed prior to eating, drinking, or smoking.

SIGNS AND SYMPTOMS OF OVEREXPOSURE

Acute Effects

Acute effects of overexposure to lead compounds are GI (gastrointestinal) upset, loss of appetite, diarrhea, constipation with cramping, difficulty in sleeping, and fatigue. Exposure and/or contact with battery electrolyte (acid) may lead to acute irritation of the skin, corneal damage of the eyes, and irritation of the mucous membranes of the eyes and upper respiratory system, including lungs.

Chronic Effects

Lead and its compounds may cause chronic anemia, damage to the kidneys and nervous system. Lead may also cause reproductive system damage and can affect developing fetuses in pregnant women. Battery electrolyte (acid) may lead to scarring of the cornea, chronic bronchitis, as well as erosion of tooth enamel in mouth breathers in repeated exposures.

POTENTIAL TO CAUSE CANCER

The National Toxicological Program (NTP) and The International Agency for Research on Cancer (IARC) have classified "strong inorganic acid mist containing sulfuric acid" as a Category 1 carcinogen, a substance that is carcinogenic to humans. The ACGIH has classified "strong inorganic acid mist containing sulfuric acid" as an A2 carcinogen (suspected human carcinogen). These classifications do not apply to liquid forms of sulfuric acid or sulfuric acid solutions contained within a battery. Inorganic acid mist (sulfuric acid mist) is not generated under normal use of this product. Misuse of the product, such as overcharging, may result in the generation of sulfuric acid mist.

The NTP and the IARC have classified lead as an A3 carcinogen (animal carcinogen). While the agent is carcinogenic in experimental animals at relatively high doses, the agent is unlikely to cause cancer in humans except under uncommonly high levels of exposure. For further information, see the ACGIH's pamphlet, *1996 Threshold Limit Values and Biological Exposure Indices.*

Inhalation

EMERGENCY AND FIRST AID PROCEDURES

Remove from exposure and consult a physician if any of the acute effects listed above develop.

Skin Wash thoroughly with soap and water. If acid is splashed on clothing, remove and discard. If acid is splashed in

shoes, remove them immediately and discard. Acid cannot be removed from leather.

Eyes

Immediately rinse with cool running water for at least 15 minutes. Seek medical attention immediately after rinsing.

Lead/Lead compounds: Consult a physician.

Battery Electrolyte (Acid): Do not induce vomiting. Refer to a physician immediately.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE

Inorganic lead and its compounds can aggravate chronic forms of kidney, liver, and neurological diseases. Contact of battery electrolyte (acid) with the skin may aggravate skin diseases such as eczema and contact dermatitis.

V. Fire and Explosion Data							
Flash Point (test method)	Autoignition Temperature	Flammable Limits in Air, % b					
Hydrogen - 259°C	Hydrogen 580ºC	Hydrogen LEL - 4.1	UEL - 74.2				
Extinguishing Media							
Dry chemical, foam, or CO ₂							
Special Fire Fighting Procedures							
Use positive pressure, self-contained breathing apparatus. Unusual Fire and Explosion Hazard							
Hydrogen and oxygen gases are produced in the cells during normal battery operations, hydrogen is							
flammable and oxygen supports combustion. These gases enter the air through the vent caps. To avoid							
the chance of a fire or explosion, keep sparks and other sources of ignition away from the battery.							
and chance of a fire of explosion, recep sparks and other sources of ignition away from the battery.							
VI. Reactivity Data							
Stability	Conditions to Avoid						
□ Unstable ☑ Stable	Sparks and other sources of ignit	ion may ignite hydroge	n qas.				
Incompatibility (materials to avoid)							
Lead/lead compounds: Potassium, carbides, sulfides, peroxides, phosphorus, sulfur.							
Battery electrolyte (acid): Combustible materials, strong reducing agents, most metals, carbides, organic							
materials, chlorates, nitrates, picrates, and fulminates.							
Hazardous Decomposition Products	·						
Lead/Lead compounds: Oxides of lead and sulfur							
Battery electrolyte (acid): Hydrogen, sulfur dioxide, sulfur trioxide							
Hazardous Polymerization	Conditions to Avoid						
	High temperature. Battery electrol						
May Occur Ø Will Not Occur	produce heat. Can react with oxid	izing or reducing agent	S.				
VII. Control Measures							
Engineering Controls							
Store lead acid batteries with adequate ventilation. Room ventilation is required for batteries utilized for							
standby power generation. Never recharge batteries in an unventilated, enclosed space.							
Work Practices Make certain vent caps are on tightly. Place a minimum of two layers of corrugated cardboard between							
	in trailer, stack no more than three						
lift a battery or place hands at opposite corners to avoid spilling acid through the vents. Avoid contact							
with internal components of the batteries.							
PERSONAL PROTECTIVE EQUIPMENT							
Respiratory Protection	ng conditions. During bottom form	ation (high rate charge	oondition)				
None required under normal handling conditions. During battery formation (high-rate charge condition),							
acid mist can be generated, which may cause respiratory irritation. If irritation occurs, wear a respirator							
suitable for protection against acid mist.							
Eyes and Face Chemical splash goggles are preferred. Also acceptable are "Visor-Gogs" or a chemical face shield worn							
over safety glasses with solid side shields.							
Hands, Arms, and Body							
Vinyl-coated, PVC, gauntlet-type gloves with rough finish.							
Other Special Clothing and Equipment							
Safety shoes worn with rubber or neoprene boots or steel-toed rubber or neoprene boots worn over							
socks. Place pants legs over boots to keep acid out of boots. All footwear must meet requirements of							
ANSI Z41.1-1991.							

Hygiene Practices

Wash hands thoroughly before eating, drinking, or smoking after handling batteries.

Protective Measures to be Taken During Non-Routine Tasks, Including Equipment Maintenance

Wear recommended eye protection. If clothing becomes saturated with acid, remove and wash affected area with water for 15 minutes. Discard saturated clothing.

SPILL OR LEAK PROCEDURES

Protective Measures to be Taken if Material is Released or Spilled

Remove combustible materials and all sources of ignition. Contain spill by diking with soda ash (sodium carbonate) or quicklime (calcium oxide). Cover spill with either chemical. Mix well. Make certain the mixture is neutral, then collect residue and place in a drum or other suitable container. Dispose of as a hazardous waste.

Wear acid-resistant boots, chemical face shield, chemical splash goggles, and acid-resistant gloves.

DO NOT RELEASE UNNEUTRALIZED ACID!

Waste Disposal Method

Battery Electrolyte (Acid): Neutralize as above for a spill, collect residue, and place in a drum or suitable container. Dispose of as a hazardous waste.

DO NOT FLUSH LEAD-CONTAMINATED ACID INTO SEWER.

Batteries: Send to lead smelter for reclamation following applicable Federal, state, and local regulations.



OTHER HANDLING AND STORAGE PRECAUTIONS

An eyewash fountain and safety shower should be located in or near the production or storage area(s) for lead/lead acid batteries. Such storage areas should be equipped with a containment facility which captures acid spills so that they may be neutralized, collected, and disposed of properly.

IX. Other Regulatory Information

TSCA Registry: Ingredients listed in the TSCA Registry are lead, lead oxide, lead sulfate and sulfuric acid.

<u>Proposition 65 Warning</u>: Battery posts, terminals and related accessories contain lead and lead compounds, chemicals known to the State of California to cause cancer and reproductive harm. Batteries also contain other chemicals known to the State of California to cause cancer. Wash hands after handling.

Disclaimer: This information has been compiled from sources considered to be dependable and is, to the best of our knowledge and belief, accurate and reliable as of the date compiled. However, no representation, warranty (either express or implied) or guarantee is made to the accuracy, reliability or completeness of the information contained herein. This information relates to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. It is the user's responsibility to satisfy himself as to the suitability and completeness of this information for his own particular use. We do not accept liability for any loss or damage that may occur, whether direct, indirect, incidental or consequential, from use of this information.