3M Canada Company Post Office Box 5757 London, Ontario N6A 4T1 Medical Emergency Telephone: (519)451-2500, Ext. 2222

\_\_\_\_\_ Material Safety Data Sheet Document id : 06-2710-9 Issue date : 08/02/2000 Supersedes date : 01/04/2000 Version : 18.00 Prepared by: Environmental Health and Safety Services Department, 3M Canada Company. Telephone: (519) 452-6102, Fax: (519) 452-6015. \_\_\_\_\_ 1 Product Identification -----Tradename: 3M BRAND EXTRACTION CLEANER CONCENTRATE (PRODUCT NO. 9, TWIST 'N FILL (TM) SYSTEM) Product ID: 70-0705-4326-2 XN-1015-1366-3 70-0707-1417-8 70-0708-3853-0 70-0708-4009-8 70-0710-0969-3 Intended Use of Product: Carpet cleaner; To be diluted and dispensed with the 3M Chemical Dispenser; dilution ratio is: 1:256 or 1.378 Division: COMMERCIAL CARE DIVISION Limitations on Use of Product: 2L concentrate bottle yields 513 liters Ready-To-Use product. 2 Composition/Information on Ingredients \_\_\_\_\_ Ingredient Name CAS Number Percentage ----- ------ 
 WATER
 7732-18-5
 40 - 70

 HYDROXYALKYL AMINE OXIDES
 68478-65-9
15 - 40 
 ISOPROPYL ALCOHOL
 67-63-0
 5 - 10

 2-ETHYL-HEXYLOXYETHANOL
 1559-35-9
1 - 5 FRAGRANCE None 0.5 - 1.5 Ingredient Statements

IN CASE OF EMERGENCY: THE NUMBER AT THE TOP OF THIS PAGE PROVIDES 24 HOUR RESPONSE FROM ANY PHONE FOR ALL EMERGENCIES WITH THIS MATERIAL.

3M BRAND EXTRACTION CLEANER CONCENTRATE (PRODUCT NO. 9, Page 2 of 8 TWIST 'N FILL (TM) SYSTEM) \_\_\_\_\_

\_\_\_\_\_ 3 Hazards Identification

\_\_\_\_\_

Critical Hazards

Severe Eye Irritation: signs/symptoms can include redness, swelling, pain, tearing, cloudy appearance of the cornea, impaired vision and possible permanently impaired vision. Severe Skin Irritation: signs/symptoms can include redness, swelling, itching, dryness, cracking, blistering, and pain. See Sections 7 and 11 for further information.

4 First Aid Measures \_\_\_\_\_ Instructions for Eye Contact: Immediately flush eyes with large amounts of water for at least 15 minutes. Get immediate medical attention. Instructions for Skin Contact: Immediately wash skin with soap and large amounts of water. Remove contaminated clothing. If signs/symptoms occur, call a physician. Wash contaminated clothing before reuse and dispose of contaminated shoes. Instructions for Inhalation: If signs/symptoms occur, remove person to fresh air. If signs/symptoms continue, call a physician. Instructions for Ingestion: Do not induce vomiting. Drink two glasses of water. Call a

5 Fire Fighting Measures

physician.

Flash point: Approximately 38.9 C Lower Explosive Limit (%): 2.0 % by volume Isopropyl Alcohol; Upper Explosive Limit (%): 12.7 % by volume AT 93.3 C Isopropyl Alcohol; Autoignition temperature: 399 C Isopropyl Alcohol; Suitable Extinguishing Media: Water; Carbon Dioxide; Dry powder; Foam; Exposure Hazards during Fire: Closed containers exposed to heat from fire may build pressure and explode. Combustion Products from Fire: Carbon monoxide and carbon dioxide; Oxides of Nitrogen; Irritant

vapours or gases;

-----

Fire Fighting Procedures:

Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

\_\_\_\_\_

### 6 Accidental Release Measures

Personal Precautions:

Refer to other sections of this MSDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

#### Spill Response:

Ventilate area. Extinguish all ignition sources. Contain spill. Evacuate unprotected personnel from hazard area. Cover with absorbent material. Collect using non-sparking tools. Clean up residue with water. Place in an approved metal container. Seal the container.

Methods for Disposal:

Incinerate in a permitted hazardous waste incinerator.

\_\_\_\_\_

#### 7 Handling and Storage

Storage Requirements: Keep container closed when not in use. Incompatible Materials: Store away from heat. Strong oxidizing agents; Explosion Prevention: Keep away from heat, sparks, open flame, and other sources of ignition. Prevent all sources of ignition. Use Instructions: Keep container tightly closed. Not intended for consumer sale or use. This product is not intended to be used without prior dilution as specified on the product label.

#### 8 Exposure Controls/Personal Protection

\_\_\_\_\_

\_\_\_\_\_

#### Personal Protection

Eye Protection:

NOTE: When used as directed and diluted and dispensed with a TWIST'n FILL (tm) Chemical Dispenser, eye contact with the concentrate is

## 3M BRAND EXTRACTION CLEANER CONCENTRATE (PRODUCT NO. 9, Page 4 of 8 TWIST 'N FILL (TM) SYSTEM)

not expected to occur. Avoid eye contact. The following should be worn alone or in combination, as appropriate, to prevent eye contact: Wear vented goggles. Wear full-face shield. Hand Protection: NOTE: When used as directed and diluted and dispensed with a TWIST'n

FILL (tm) Chemical Dispenser, skin contact with the concentrate is not expected to occur. Wear appropriate gloves when handling this material. A pair of gloves made from the following material(s) are recommended: butyl rubber;

Skin Protection:

Avoid skin contact. Use one or more of the following personal protection items as necessary to prevent skin contact: apron; coveralls;

**Respiratory Protection:** 

NOTE: When used as directed and diluted and dispensed with a TWIST'n FILL (tm) Chemical Dispenser, respiratory protection is not required. Avoid breathing of vapours, mists or spray. Avoid breathing of airborne material. Select one of the following NIOSH approved respirators based on airborne concentration of contaminants: half-mask organic vapour respirator; full-face organic vapour respirator;

Ingestion (Prevention):

Do not eat, drink or smoke when using this product. Wash exposed areas thoroughly with soap and water. Do not ingest. Keep out of the reach of children.

Recommended Ventilation:

NOTE: When used as directed and diluted and dispensed with a TWIST'n FILL (tm) Chemical Dispenser, special ventilation is not required. Use with appropriate local exhaust ventilation. Provide appropriate local exhaust ventilation at transfer points. Use in a well-ventilated area. If exhaust ventilation is not adequate, use appropriate respiratory protection.

Ingredient Exposure Data

-----

WATER (7732-18-5) LD50 (rat, oral): > 90 ml/kg

HYDROXYALKYL AMINE OXIDES (68478-65-9) Specific Ingredient Data: No data available.

ISOPROPYL ALCOHOL (67-63-0) LD50 (rat, oral): 4710 mg/kg LC50 (rat, inhalation/4 hours): 17000 ppm PIN (Product Identification Number): 1219 Ontario TWAEV: 400 ppm 980 mg/m3 Ontario STEV: 500 ppm 1225 mg/m3

# 3M BRAND EXTRACTION CLEANER CONCENTRATE (PRODUCT NO. 9, Page 5 of 8 TWIST 'N FILL (TM) SYSTEM)

ACGIH TLV-TWA: 400 ppm 985 mg/m3 ACGIH TLV-STEL: 500 ppm 1230 mg/m3

2-ETHYL-HEXYLOXYETHANOL (1559-35-9) Specific Ingredient Data: No data available.

\_\_\_\_\_

FRAGRANCE (None) Specific Ingredient Data: No data available.

9 Physical and Chemical Properties

Physical form,Color,Odour:	Liquid; clear; colourless; mild	
fragrance;		
Odour Threshold:	No data available.	
pH: Approximately 8		
Boiling point/boiling range:	Approximately 93.3 C	
Melting point/melting range:	Not applicable	
Vapour pressure:	Not Available.	
Water Solubility:	Complete	
Partition coefficient (K o/w):	No data available.	
Specific gravity:	Approximately 1.0 Water=1	
Vapour density:	2.1 Air=1 Isopropyl Alcohol;	
Volatile organic compounds:	Approximately 15 %	
Evaporation rate:	Approximately 1 Water=1	
Viscosity: <	100 centipoise	

\_\_\_\_\_

10 Stability and Reactivity

Conditions to Avoid: None known. Materials to Avoid: Strong oxidizing agents; Hazardous Decomposition: Carbon monoxide and carbon dioxide; Oxides of Nitrogen; Irritant vapours or gases; Stability and Reactivity: Stable. Hazardous polymerization will not occur.

\_\_\_\_\_

-----

\_\_\_\_\_

11 Toxicological Information

Effects from Eye Contact:

Severe Eye Irritation: signs/symptoms can include redness, swelling, pain, tearing, cloudy appearance of the cornea, impaired vision and possible permanently impaired vision.

Effects from Skin Contact: Severe Skin Irritation: signs/symptoms can include redness, swelling, itching, dryness, cracking, blistering, and pain. Effects from Inhalation: Prolonged or repeated exposure may cause: Central Nervous System Depression: signs/symptoms can include headache, dizziness, drowsiness, incoordination, slowed reaction time, slurred speech, giddiness and unconsciousness. Irritation (upper respiratory): signs/symptoms can include soreness of the nose and throat, coughing and sneezing. Effects from Ingestion: Ingestion is not a likely route of exposure to this product. Ingestion may cause: Gastrointestinal Effects: signs/symptoms generally will include abdominal pain. Sensitization Information: No data available. Carcinogenicity: No data available. Mutagenicity: No data available. Reproductive Effects: No data available. Other Effects & Information: A Product Toxicity Summary Sheet is available. MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: medical conditions, if any, known to be aggravated by exposure to this product are indicated in the appropriate portions of the Toxicological Information section of this data sheet. CARCINOGENS: components of this product, if any, known to cause, or suspected of causing, cancer as determined by OHSA, IARC, or NTP are described in the Toxicological Information section of this data sheet.

12 Ecological Information

-----

Ecotoxicity Data:

A 3M Product Environmental Data Sheet (PED) is available. Other Effects and Information: The use of this product is expected to have no significant

environmental impact. All components will eventually degrade in the environment.

\_\_\_\_\_

\_\_\_\_\_

#### 13 Disposal Considerations

Product as Sold: No data available.

### 3M BRAND EXTRACTION CLEANER CONCENTRATE (PRODUCT NO. 9, Page 7 of 8 TWIST 'N FILL (TM) SYSTEM)

\_\_\_\_\_

Product Packaging: No data available. Special Instructions: Since regulations vary, consult applicable regulations or authorities before disposal.

14 Transportation Information

-----

-----

Transportation of Dangerous Goods

\_\_\_\_\_

TDG Classification:

-----

n: Non-Regulated TDGR Section 2.23.2(1)

International Dangerous Goods Classification

IMO Class:	No data available.
ICAO Class:	No data available.

15 Regulatory Information

WHMIS Classification: B3, D2B NOTE:

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR. Product Certifications: The product on this MSDS, or all its components, is included on the following countries' chemical inventories, as noted:

------

TSCA - Toxic Substances Control Act (USA)

16 Other Information

\_\_\_\_\_

\_\_\_\_\_

Reason for Reissue:

The following Sections and topics have been updated or revised: Formulation revision. Added/changed product ids of MSDS

Copyright, 1997, Minnesota Mining and Manufacturing Company. All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that:

1) the information is copied in full with no changes unless prior

3M BRAND EXTRACTION CLEANER CONCENTRATE (PRODUCT NO. 9, Page 8 of 8 TWIST 'N FILL (TM) SYSTEM)

written agreement is obtained from 3M, and 2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

The information in this Material Safety Data Sheet (MSDS) is believed to be correct as of the date issued. 3M MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, STATUTORY OR OTHERWISE, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OR CONDITION OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

----End----