MATERIAL SAFETY DATA SHEET

This MSDS complies with OSHA'S Hazard Communication Standard 29 CFR 1910.1200 and OSHA Form 174

IDENTITY AT	ND DISTRIBU	TOR'S INFORMATIO	N			***************************************	
NFPA Rating: Health-2; Flammability-1; Reactivity-0; Special				tv-1: Reactivi	tv-0: Person	al Protection-B	
Manufactured For: Oster Professional Products		HMIS Rating: Health-2; Flammability-1; Reactivity-0; Personal Protection-B DOT Hazard Classification: ORM-D					
Address: 150 Cadillac Lane	1	Identity (trade name as used on label):					
	and the second s						
Address: McMinnville, TN 37110-8653 Sunbeam Products, Inc.		KOOL LUBE 3 Catalog No.78211-333					
· ·		UPC Code 34264 04722					
Manufactured by: Amrep, Inc.							
		MFG MSDS Number: 6126-20 Revision- 2					
EMERGENCY RESPONSE NUMBER: 1-877-427-4800		Date Prepared: 05/29/01 Prepared By: IB/PLP					
NOTICE: JUDGMENT BASED ON INDIRECT TEST DATA		ormation Calls: (800) 83				M	
SECTION 1 - MATER	RIAL IDENTIF		RMATION		-		
COMPONENTS-CHEMICAL NAMES AND COMMON NAMES		CAS Number	SARA	OSHA PEL	ACGIH	Carcinogen	
(Hazardous Components 1% or greater; Carcinogens 0.1% or greater)			III LIST	(ppm)	TLV (ppm)	Ref. Source **	
ETHANOL		64-17-5	No	1000	1000	d	
1,1,1,2-TETRAFLUOROETHANE		811-97-2	No	NE*	NE*	d	
ISOPROPANOL		67-63-0	No	500	400	d	
* AEL (Dupont) 1000 ppm							
	SICAL/CHEM	IICAL CHARACTERI	STICS				
Boiling Point: N/A Specific Gravity (H2O=1): Concentrate Only = 0.788							
Vapor Pressure: PSIG @ 70°F (Aerosols): 60 max Vapor Pressure (Non-Aerosols)(mm Hg and Temperature): N/A							
Vapor Density (Air = 1): N/E	Evaporation Rate (= 1): N/E						
Solubility in Water: Liquid concentrate is miscible in water		ater Reactive: No		*/ L	·····	·	
Appearance and Odor: Clear forceful spray with citrus/alcohol odor.							
		LOSION HAZARD DA	ΛΤΛ				
		gnition Temperature		nability Limits	in Air by 9/ i	n Volume:	
FLAMMABILITY as per USA FLAME PROJECTION TEST	Auto	•			•		
(aerosols) NON-FLAMMABLE		N/E		.: N/E	% UEL		
FLASH POINT AND METHOD USED (non-aerosols): N/A		TINGUISHER MEDIA:	-oam, dry d	cnemical, and	carbon dioxide) .	
SPECIAL FIRE FIGHTING PROCEDURES: Self-contained breathin		120°E or the container	may runtur				
Unusual Fire & Explosion Hazards: Do not expose aerosols to ten			may ruptur	е.			
SECTION 4 - REACTIVITY HAZARD DATA							
STABILITY [X] STABLE [] UNSTABLE HAZARDOUS POLYMERIZATION [] WILL [X] WILL NOT OCCUR Incompatibility (Mat. to avoid): Strong oxidizing agents. Conditions to Avoid: Open flame, welding arcs, heat, sparks.							
Incompatibility (Mat. to avoid): Strong oxidizing agents.						-t	
Hazardous Decomposition Products: Carbon dioxide, carbon mor	noxide. Propella	nt decomposes under ni	gn tempera	tures to nyaro	nuoric acid an	a possibly	
carbonyl fluoride.	NE UEALTI	LUAZADO DATA					
SECTION 5 - HEALTH HAZARD DATA PRIMARY ROUTES OF ENTRY: [X] INHALATION [] INGESTION [] SKIN ABSORPTION [] EYE [] NOT HAZARDOUS							
ACUTE EFFECTS							
Inhalation: Excessive inhalation of vapors can cause central nervous system depression with dizziness, confusion, incoordination, drowsiness or unconsciousness.							
Eye Contact: May cause irritation or temporary corneal injury. Skin Contact: May cause mild irritation and mild defatting.							
Ingestion: Possible chemical pneumonitis if aspirated into lungs. Nausea.							
CHRONIC EFFECTS: (Effects due to excessive exposure to the raw materials of this mixture) Excessive inhalation of vapors can cause central nervous system							
depression with dizziness, confusion, incoordination, drowsiness or unconsciousness, Irregular heartbeat with a strange sensation in the chest, "bear thumping".							
apprehension, lightheadedness, feeling of fainting, dizziness, weakness, sometimes progressing to loss of consciousness and death. Suffocation, if air is							
displaced by vapors. Aspiration into lungs may cause chemical pneumonitis.							
Medical Conditions Generally Aggravated by Exposure: Increased susceptibility to the effects of this material may be observed in persons with pre-existing							
disease of the central nervous system or cardiovascular system. May aggravate existing eye, skin, or upper respiratory conditions.							
EMERGENCY FIRST AID PROCEDURES							
Eye Contact: Flush with water at least 15 minutes, occasionally lifting		r eyelids. If irritated, see	k medical a	attention.			
Skin Contact: Flush with water for 15 minutes. If irritated, seek medical attention.							
Inhalation: Remove to fresh air. Resuscitate if necessary. Get medical attention.							
Ingestion: DO NOT INDUCE VOMITING. Get immediate medical attention. Acute aspiration hazard.							
SECTION 6 - CO	NTROL AND I	PROTECTIVE MEAS	URES				
Respiratory Protection (specify type): If vapor concentration exceeds TLV, use respirator approved by NIOSH / MSHA for organic vapor.							
Protective Gloves: Neoprene, nitrile or viton if repeated contact is possible. Eye Protection: Safety glasses recommended.							
Ventilation Requirements: Adequate ventilation to keep vapor concentration below TLV.							
Other Protective Clothing & Equipment: None							
Hygienic Work Practices: Wash with soap and water before handling food.							
SECTION 7 - PRECAUTIONS FOR SAFE HANDLING AND USE							
Steps To Be Taken If Material Is Spilled Or Released: Absorb liqu				proper disposa	al. Incinerate	or landfill	
according to local, state or federal regulations. DO NOT FLUSH TO							
Waste Disposal Methods: Aerosol cans when vented to atmospher		ugh normal use, pose no	o disposal h	nazard.			
Precautions To Be Taken In Handling & Storage: Do not puncture					0°F. Avoid ex	posure to strong	
oxidizers.							
Other Precautions &/or Special Hazards: KEEP OUT OF REACH OF CHILDREN. Avoid food contamination.							

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind.

** Chemical Listed as Carcinogen or Potential Carcinogen. [a] NTP [b] IARC Monograph [c] OSHA [d] Not Listed [e] Animal Data Only