

# Material Safety Data Sheet

D.O.M. (AEROSOL)

QUICK IDENTIFIER  
Common Name: (used on label and list)

K & W STOCK #2912

NFPA rating H-1, F-4, R-0

May be used to comply with OSHA's Hazard Communication Standard, 29CFR 1910.1200. Standard must be consulted for specific requirements.

## SECTION 1 -

Manufacturer's Name	K & W PRODUCTS	
Address	5801 S. EASTERN AVENUE	Emergency Telephone No. 213-720-4680
City, State, and ZIP	CITY OF COMMERCE, CA 90040	Other Information Calls
Signature of Person Responsible for Preparation (Optional)	<i>Pat Patel</i>	Date Prepared 11-25-85 (revised 5/12/88)

## SECTION 2 - HAZARDOUS INGREDIENTS/IDENTITY

Hazardous Component(s) (chemical & common name(s))	OSHA PEL	ACGIH TLV	Other Exposure Limits	% (optional)	CAS NO.
140 Solvent		500			8030-30-6
Propane		1000			74-98-6
Isobutane					106-97-8

## SECTION 3 - PHYSICAL & CHEMICAL CHARACTERISTICS

Boiling Point	Propellant below 0°F	Specific Gravity (H <sub>2</sub> O=1)	N/A	Vapor Pressure (mm Hg)	70±5 Psig
	Heavier than air	Vapor Density (Air = 1)			
Solubility in Water	Negligible	Reactivity in Water	N/A		
Appearance and Odor	Clear liquid with vanilla odor	Melting Point	N/A		

## SECTION 4 - FIRE & EXPLOSION DATA

Flash Point	F. C.	Method Used	Propellant below 0°F	Flammable Limits in Air % by Volume	LEL Lower	1.0	UEL Upper	6.0
Auto-Ignition Temperature		Extinguisher Media	Carbon dioxide, foam or dry chemical.					
Special Fire Fighting Procedures	Do not spray near open flame. Keep at room temperature as exposure to direct sunlight or other heat may cause bursting.							
Unusual Fire and Explosion Hazards	Water may be ineffective - water may be used to keep fire exposed containers cool.							

## SECTION 5 - PHYSICAL HAZARDS (REACTIVITY DATA)

Stability Unstable  Conditions  
Stable  to Avoid Do not store above 120°F

Incompatibility  
(Materials to Avoid)

Hazardous  
Decomposition Products Carbon dioxide and/or carbon monoxide

Hazardous Polymerization May Occur  Conditions  
Will Not Occur  to Avoid

## SECTION 6 - HEALTH HAZARDS

1. Acute 2. Chronic

Signs and  
Symptoms of Exposure Irritation to eyes, defatting to skin, nasal irritation, dizziness,  
fatigue, nausea, headache.

Medical Conditions Generally  
Aggravated by Exposure See above

Chemical Listed as Carcinogen or Potential Carcinogen National Toxicology Program Yes  No  I.A.R.C. Monographs Yes  No  OSHA Yes  No

Emergency and  
First Aid Procedures

**ROUTES OF ENTRY**

1. Inhalation Remove individual to clean air.

2. Eyes Flush with large amount of water. Get medical attention.

3. Skin Wash with soap and water.

4. Ingestion Do not induce vomiting. Seek Medical attention.

## SECTION 7 - SPECIAL PRECAUTIONS AND SPILL/LEAK PROCEDURES

Precautions to be Taken  
in Handling and Storage Do not store above 120°F

Other  
Precautions Keep away from children. Do not puncture or incinerate. Do not spray near fire  
or open flame.

Steps to be Taken in Case  
Material is Released or Spilled Remove all sources of ignition, ventilate, avoid breathing vapors,  
and remove with inert absorbent.

Waste Disposal  
Methods (Consult federal, state, and local regulations) Do not incinerate - dispose in accordance with  
governmental regulations.

## SECTION 8 - SPECIAL PROTECTION INFORMATION/CONTROL MEASURES

Respiratory Protection  
(Specify Type) Approved self contained breathing apparatus.

Ventilation Local Exhaust Local Mechanical (General) Special Other

Protective  
Gloves Rubber Eye  
Protection Splash goggles

Other Protective  
Clothing or Equipment Impermeable clothing

Work/Hygienic Practices Avoid breathing of vapors and keep away from sources of ignition.

### IMPORTANT

Do not leave any blank spaces. If required information is unavailable, unknown, or does not apply, so indicate.