

PRODUCTS CORPORATION

THE OSHA HAZARD COMMUNICATION STANDARD (29 CFR 1910.1200) REQUIRES THAT THE INFORMATION CONTAINED ON THIS SHEET BE MADE AVAILABLE TO YOUR EMPLOYEES.

INSTRUCT YOUR WORKERS TO HANDLE THIS PRODUCT PROPERLY.

NAME: NO. "7" TAR & BUG REMOVER 1512N  
TYPE: LIQUID  
APPLICATION: TAR AND BUG REMOVER

03-Dec-85

**SIGNAL WORD—WARNING!**

THIS MATERIAL IS A "HEALTH HAZARD" AND/OR A "PHYSICAL HAZARD" AS DETERMINED WHEN REVIEWED ACCORDING TO THE REQUIREMENT OF THE OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION 29 CFR PART 1910.1200 "HAZARD COMMUNICATION" STANDARD.

**CHEMICAL HAZARD RATING**

HEALTH=2(MODERATE)  
FIRE=3(HIGH)  
REACTIVITY=0(LEAST)

**EMERGENCY AND FIRST AID PROCEDURES**

INTERNAL: IF SWALLOWED, DO NOT INDUCE VOMITING. CALL A PHYSICIAN IMMEDIATELY.  
INHALATION: REMOVE TO FRESH AIR. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION, PREFERABLY MOUTH-TO-MOUTH. IF BREATHING IS DIFFICULT, GIVE OXYGEN. CALL A PHYSICIAN.  
SKIN CONTACT: IN CASE OF IRRITATION, FLUSH WITH WATER.  
EYE CONTACT: IMMEDIATELY FLUSH WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES. CALL A PHYSICIAN.

**29CFR1910.1200 HAZARDOUS INGREDIENTS/REPORTED HEALTH EFFECTS CAS REGISTRY NO. MATERIAL DESCRIPTION**

**1330-20-7 XYLENE**  
OVEREXPOSURE MAY CAUSE LIVER AND/OR KIDNEY DAMAGE.  
CAN CAUSE CENTRAL NERVOUS SYSTEM DEPRESSION, SIGNS AND SYMPTOMS MAY INCLUDE HEADACHE, DIZZINESS, NAUSEA, VOMITING, UNCONSCIOUSNESS AND EVEN ASPHYXIATION.  
ACGIH EXPOSURE LIMIT: SKIN — 100 PPM, 8-HR TWA.  
OSHA 29CFR1910 EXPOSURE LIMIT: 100 PPM, 8-HR TWA  
NIOSH DOCUMENT NUMBER: 75-168

**64742-88-7 MEDIUM ALIPHATIC SOLVENT NAPHTHA (PETROLEUM)**  
OVEREXPOSURE MAY CAUSE KIDNEY DAMAGE BASED ON TEST WITH LABORATORY ANIMALS.  
CAN CAUSE CENTRAL NERVOUS SYSTEM DEPRESSION, SIGNS AND SYMPTOMS MAY INCLUDE HEADACHE, DIZZINESS, NAUSEA, VOMITING, UNCONSCIOUSNESS AND EVEN ASPHYXIATION.

**FIRE AND EXPLOSION HAZARD DATA**

FLAMMABLE.  
KEEP LIQUID AND VAPOR AWAY FROM HEAT, SPARKS, FLAME AND OTHER IGNITION SOURCES INCLUDING PILOT LIGHTS, HEATERS, CIGARETTES, ELECTRIC MOTORS AND STATIC DISCHARGE. VAPOR IS HEAVIER THAN AIR AND MAY SETTLE IN LOW PLACES OF TRAVEL A LONG DISTANCE TO A SOURCE OF IGNITION AND FLASHBACK.  
IN CASE OF FIRE, USE DRY CHEMICAL, FOAM OR CO<sub>2</sub>. WATER MAY BE INEFFECTIVE, BUT SHOULD BE USED TO KEEP FIRE-EXPOSED CONTAINERS COOL.

**PHYSICAL DATA**

GENERAL APPEARANCE: CLEAR LIQUID  
ODOR: SOLVENT  
FLASH POINT, TCC: 89 F

**REACTIVITY DATA**

NORMALLY STABLE AS DEFINED IN NFPA 704-12 (4-3.1).

**ACUTE HEALTH HAZARD DATA**

SKIN ABSORPTION: NO HAZARDS KNOWN TO BORDEN.  
INGESTION: MAY BE HARMFUL IF SWALLOWED.  
INHALATION: MAY BE HARMFUL IF INHALED. LIQUID OR VAPOR CAN CAUSE IRRITATION OF NOSE, THROAT AND LUNGS.  
SKIN: MAY CAUSE IRRITATION.  
EYES: CAUSES IRRITATION.

**SPECIAL PROTECTION INFORMATION**

APPROVED RESPIRATORY PROTECTION REQUIRED IN ABSENCE OF PROPER ENVIRONMENTAL CONTROL.  
USE GOGGLES OR FACE SHIELD IF SPLASHING IS LIKELY.  
WEAR IMPERVIOUS GLOVES AS REQUIRED TO PREVENT SKIN CONTACT.  
WEARING SAFETY GLASSES, SAFETY SHOES, HARD HATS AND SUITABLE CLOTHING IS STANDARD PRACTICE IN MANY INDUSTRIAL OPERATIONS.

**HANDLING PRECAUTIONS**

INHALATION: AVOID BREATHING VAPOR. USE WITH ADEQUATE VENTILATION.  
SKIN: AVOID PROLONGED OR REPEATED CONTACT WITH SKIN.  
EYES: AVOID CONTACT WITH EYES.  
WASH THOROUGHLY AFTER HANDLING.

**SPILL OR LEAK PROCEDURES**

ELIMINATE ALL IGNITION SOURCES.  
SOAK UP WITH ABSORBENT MATERIAL AND REMOVE TO A CHEMICAL DISPOSAL AREA.  
PREVENT ENTRY INTO NATURAL BODIES OF WATER.

**WASTE DISPOSAL METHOD**

RECOVER FREE LIQUID, ABSORB RESIDUE AND DISPOSE OF ACCORDING TO LOCAL, STATE, AND FEDERAL REQUIREMENTS.  
EMPTY CONTAINER: MAY CONTAIN EXPLOSIVE VAPORS. DO NOT CUT, PUNCTURE OR WELD ON OR NEARBY.

**STORAGE PRECAUTIONS**

KEEP CONTAINER CLOSED.  
STORE IN A COOL, DRY PLACE.

**DOT CLASSIFICATION**

ORM-D CONSUMER COMMODITY

---

### **DISCLAIMER**

SELLER MAKES NO WARRANTY, EXPRESS OR IMPLIED, CONCERNING THE PRODUCT OR THE MERCHANTABILITY OR FITNESS THEREOF FOR ANY PURPOSE OR CONCERNING THE ACCURACY OF ANY INFORMATION PROVIDED BY ARMOR ALL, except that the product shall conform to contracted specifications, and that the product does not infringe any valid United States patent. The information provided herein was believed by Armor All to be accurate at the time of preparation or prepared from sources believed to be reliable, but it is the responsibility of the user to investigate and understand other pertinent sources of information, to comply with all laws and procedures applicable to the safe handling and use of product and to determine the suitability of the product for its intended use. Buyer's exclusive remedy shall be for damages and no claim of any kind, whether as to product delivered or for non-delivery of product, and whether based on contract, breach of warranty, negligence or otherwise shall be greater in amount than the purchase price of the quantity of product in respect of which damages are claimed. In no event shall Seller be liable for incidental or consequential damages, whether Buyer's claim is based on contract, breach of warranty, negligence or otherwise.

---