

CCFC1204

Post-it* Fax Note	7671	Date	10/23/00	# of pages	2
To	SHARON LAWREN	From	BILL C.		
Company		Co.	FALCON		
Phone #		Phone #			
Fax #	517 667 3282	Fax #			



MATERIAL SAFETY DATA SHEET

Anti-Static Color Film Cleaner

HMIS: 3-0-1-D

SECTION I

Trade Name: Anti-Static Color Film Cleaner
 Chemical Name: Methyl Chloroform with additives
 Manufacturer: Edwal Scientific Products - Division of Falcon Safety Products, Inc.
 Address & Phone #: 25 Chubb Way, Somerville N.J. 08876; (908) 707-4900
 Emergency Phone #: Chemtrec 1-800-424-9300
 Mfg. Model No.: CCFC1204
 FSPID: 0008

SECTION II - HAZARDOUS INGREDIENTS

Ingredients	CAS #	%	TLV	PEL	UNITS
1,1,1-Trichloroethane	71-55-6	>95	350	350	PPM
Non-Hazardous ingredients*		Balance	NA	NA	NA

* Unidentified ingredients are not considered hazardous under the Federal Hazard Communication Standard (29 CFR 1910.1200).

SECTION III - PHYSICAL DATA

Boiling Point (°F)	165.4	Specific Gravity (H ₂ O=1)	1.31
Vapor Pressure (MM Hg)	120	Percent Volatile by Vol.	100
Vapor Density (Air=1)	4.54	pH	
Solubility in Water	insoluble	Evap Rate (Ether = 1)	0.35
Appearance and Odor	Clear, Colorless Liquid:	Ether Odor	

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

Flash Point - None Flammable Limits LEL - 8% UEL - 10.5%
 Extinguishing Media - Carbon Dioxide, dry chemical or foam
 Special Fire Fighting Procedures - Use water spray or fog to cool fire exposed containers
 Unusual Fire & Explosion Hazards - Moderate explosion hazard when exposed to heat and flame

SECTION V - HEALTH HAZARD INFORMATION

Symptoms and Effects of Overexposure - Headache, dizziness, fatigue, confusion, central nervous system depression. Prolonged or repeated skin contact may lead to drying, irritation, and dermatitis. Possible skin absorption. Eye irritation.

Medical Conditions Aggravated by Exposure: None known

Falcon Safety Products

Model #CCFC1204

First Aid

Eyes: Flush eyes with lots of water for at least 15 minutes with eyelids open. Get quick medical attention.

Skin: Remove contaminated clothing and wash skin with lots of water. Seek medical attention. Wash clothes.

Inhalation: Move victim to fresh air and restore breathing if necessary. Remain with victim until arrival of EMT.

Indigestion: Contact local Poison Control Center or physician immediately!

SECTION VI - REACTIVITY DATA

Stability - Normally Stable

Incompatible Materials - Avoid Heat, open flame, welding arc, oxidizers, alkalis

Hazardous Decomposition Products - Hydrogen Chloride, Carbon Monoxide, Carbon Dioxide, traces of Phosgene and Chlorine

SECTION VII - SPILL or LEAK PROCEDURES

Procedures - Wear personal protective equipment (see section viii). Remove heat and ignition sources; ventilate the area; clean up with inert absorbent.

Waste Disposal Method - Dispose of in accordance with Local, State, and Federal Regulations.

SECTION VIII - SPECIAL PROTECTION INFORMATION

Respiratory - If LTV is exceeded, or for symptoms of overexposure, wear a NOSH approved respirator for vapors

Eyes - If splash potential exists, wear goggles or face shield

Inhalation - Local exhaust may be necessary under some handling/use conditions. Specific needs should be addressed by supervisory or health safety personnel.

SECTION IX - SPECIAL PRECAUTIONS

Store in a closed container in a well ventilated area. This product does not contain any carcinogens at 0.1% or greater, as defined by IARC, NTP, or OSHA.

PHYSICIAN - DO NOT give epinephrine type drugs!

SECTION X - TRANSPORTATION INFORMATION

Shipping Information -

Shipping Containers

DOT

Proper Shipping Name

Consumer Commodity ORM-D

APPROVAL


Brian P. Billsback

Vice President of Manufacturing

Title

3/23/2000

Revision Date



history >
 markets >
 company news >
 talk to us >
 Falcon home page <

Search Results



MATERIAL SAFETY DATA SHEET

Anti-Static Color Film Cleaner

HMIS: 3-0-1-D

SECTION I

Trade Name: Anti-Static Color Film Cleaner

Chemical Name: Methyl Chloroform with additives

Manufacturer: Edwal Scientific Products - Division of Falcon Safety Products, Inc.

Address & Phone #: 25 Chubb Way, Somerville N.J. 08876; (908) 707-4900

Emergency Phone #: Chemtrec 1-800-424-9300

Mfg. Model No.: CCFC1204

FSPID: 0008

SECTION II - HAZARDOUS INGREDIENTS

Ingredients	CAS #	%	TLV	PEL	UNITS
1,1,1-Trichloroethane	71-55-6	>95	350	350	PPM
Non-Hazardous ingredients*		Balance	NA	NA	NA

* Unidentified ingredients are not considered hazardous under the Federal Hazard Communication Standard (29 CFR 1910.1200).

SECTION III - PHYSICAL DATA

Boiling Point (°F)	165.4	Specific Gravity (H ₂ O=1)	1.31
Vapor Pressure (MM Hg)	120	Percent Volatile by Vol.	100
Vapor Density (Air=1)	4.54	pH	
Solubility in Water	insoluble	Evap Rate (Ether = 1)	0.35
Appearance and Odor	Clear, Colorless Liquid:	Ether Odor	

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

Flash Point - None	Flammable Limits	LEL - 8%	UEL - 10.5%
-----------------------	---------------------	----------	-------------

Extinguishing Media - Carbon Dioxide, dry chemical or foam

Special Fire Fighting Procedures - Use water spray or fog to cool fire exposed containers

Unusual Fire & Explosion Hazards - Moderate explosion hazard when exposed to heat and flame

SECTION V - HEALTH HAZARD INFORMATION

Symptoms and Effects of Overexposure - Headache, dizziness, fatigue, confusion, central nervous system depression. Prolonged or repeated skin contact may lead to drying, irritation, and dermatitis. Possible skin absorption. Eye irritation.

Medical Conditions Aggravated by Exposure: None known

First Aid

Eyes: Flush eyes with lots of water for at least 15 minutes with eyelids open. Get quick medical attention.

Skin: Remove contaminated clothing and wash skin with lots of water. Seek medical attention. Wash clothes.

Inhalation: Move victim to fresh air and restore breathing if necessary. Remain with victim until arrival of EMT.

Indigestion: Contact local Poison Control Center or physician immediately!

SECTION VI - REACTIVITY DATA

Stability - Normally Stable

Incompatible Materials - Avoid Heat, open flame, welding arc, oxidizers, alkalis

Hazardous Decomposition Products - Hydrogen Chloride, Carbon Monoxide, Carbon Dioxide, traces of Phosgene and Chlorine

SECTION VII - SPILL or LEAK PROCEDURES

Procedures - Wear personal protective equipment (see section viii). Remove heat and ignition sources; ventilate the area; clean up with inert absorbent.

Waste Disposal Method - Dispose of in accordance with Local, State, and Federal Regulations.

SECTION VIII - SPECIAL PROTECTION INFORMATION

Respiratory - If LTV is exceeded, or for symptoms of overexposure, wear a NOSH approved respirator for vapors

Eyes - If splash potential exists, wear goggles or face shield

Inhalation - Local exhaust may be necessary under some handling/use conditions. Specific needs should be addressed by supervisory or health safety personnel.

SECTION IX - SPECIAL PRECAUTIONS

Store in a closed container in a well ventilated area. This product does not contain any carcinogens at 0.1% or greater, as defined by IARC, NTP, or OSHA.

PHYSICIAN - DO NOT give epinephrine type drugs!

SECTION X - TRANSPORTATION INFORMATION

Shipping Information -

Shipping Containers

DOT

Proper Shipping Name Consumer Commodity ORM-D

PPE-PERSONAL PROTECTIVE EQUIPMENT REQUIRED: NONE

APPROVAL  President of Manufacturing 1/31/2000

Brian P. Billsback Title Revision Date

Please contact Falcon for product status. Some products may be in transition.

[Back to Top](#)

[HOME](#) | [HISTORY](#) | [MARKETS](#) | [COMPANY NEWS](#) | [TALK TO US](#)

© 1999 Falcon Safety Products, Inc.