

MATERIAL SAFETY 3M  
DATA SHEET 3M Center  
St. Paul, Minnesota  
55144-1000  
1-800-364-3577 or (651) 737-6501 (24 hours)

Copyright, 1996, Minnesota Mining and Manufacturing Company.  
All rights reserved. Copying and/or downloading of this  
information for the purpose of properly utilizing 3M products  
is allowed provided that:

- 1) the information is copied in full with no changes unless  
prior agreement is obtained from 3M, and
- 2) neither the copy nor the original is resold or otherwise  
distributed with the intention of earning a profit thereon.

DIVISION: HOME AND COMMERCIAL CARE DIVISION  
TRADE NAME:  
COMPUBLEND II BRAND NON ACID BATHROOM CLEANER RTU N/11  
ISSUED: October 03, 1996  
SUPERSEDES: May 15, 1992  
DOCUMENT: 11-7447-3

1. INGREDIENT	C.A.S. NO.	PERCENT	
WATER.....	7732-18-5	90.0	- 95.0
ISOPROPANOL.....	67-63-0	0.5	- 2.0
2-BUTOXYETHANOL.....	111-76-2	0.1	- 1.0
TETRASODIUM EDTA.....	60-00-4	0.1	- 1.0
QUARTERNARY AMMONIUM CHLORIDE.....	None		< 0.3

SOLD IN ALL EUROPEAN COUNTRIES EXCEPT GERMANY, SWITZERLAND, AUSTRIA.

This product contains the following toxic chemical or chemicals subject to  
the reporting requirements of Section 313 of Title III of the Emergency  
Planning and Community Right-To-Know Act of 1986 and 40 CFR Part 372:

2-BUTOXYETHANOL

2. PHYSICAL DATA

BOILING POINT:..... 212.00 F  
VAPOR PRESSURE:..... N/D  
VAPOR DENSITY:..... N/D  
EVAPORATION RATE:..... N/D  
SOLUBILITY IN WATER:..... complete  
SPECIFIC GRAVITY:..... ca. 1.000 Water=1  
PERCENT VOLATILE:..... ca. 98.00 %  
pH:..... ca. 9.40  
VISCOSITY:..... N/D  
MELTING POINT:..... N/D

Abbreviations: N/D - Not Determined N/A - Not Applicable

-----  
2. PHYSICAL DATA (continued)  
-----

APPEARANCE AND ODOR:  
liquid, pale green

-----  
3. FIRE AND EXPLOSION HAZARD DATA  
-----

FLASH POINT:..... N/A  
FLAMMABLE LIMITS - LEL:..... N/A  
FLAMMABLE LIMITS - UEL:..... N/A  
AUTOIGNITION TEMPERATURE:..... N/D

EXTINGUISHING MEDIA:  
Water, carbon dioxide, foam, dry chemical.

SPECIAL FIRE FIGHTING PROCEDURES:  
NONE

UNUSUAL FIRE AND EXPLOSION HAZARDS:  
NONE

NFPA HAZARD CODES: HEALTH: 0 FIRE: 0 REACTIVITY: 0  
UNUSUAL REACTION HAZARD: none

-----  
4. REACTIVITY DATA  
-----

STABILITY: Stable

INCOMPATIBILITY - MATERIALS/CONDITIONS TO AVOID:  
N/A

HAZARDOUS POLYMERIZATION: Hazardous polymerization will not occur.

HAZARDOUS DECOMPOSITION PRODUCTS:  
N/D

-----  
5. ENVIRONMENTAL INFORMATION  
-----

SPILL RESPONSE:  
Observe precautions from other sections. Flush small spills to a wastewater treatment system. For bulk quantity spills, collect spilled material using absorbent material as necessary and flush residue to a wastewater treatment system. Clean up residue with water.

-----  
Abbreviations: N/D - Not Determined N/A - Not Applicable

-----  
5. ENVIRONMENTAL INFORMATION (continued)  
-----

RECOMMENDED DISPOSAL:

Flush spent product and product solutions to a wastewater treatment system. Reduce discharge rate if foaming occurs. Dilute bulk quantities in a large excess of water. Empty container may be sanitary landfilled. Since regulations vary, consult applicable regulations or authorities before disposal.

ENVIRONMENTAL DATA:

N/D

REGULATORY INFORMATION:

Volatile Organic Compounds: ca. 12.00 gms/liter.  
VOC Less H2O & Exempt Solvents: N/D.

EPCRA HAZARD CLASS:

FIRE HAZARD: No PRESSURE: No REACTIVITY: No ACUTE: Yes CHRONIC: No

-----  
6. SUGGESTED FIRST AID  
-----

EYE CONTACT:

Immediately flush eyes with plenty of water. Call a physician.

SKIN CONTACT:

Wash affected area with soap and water.

INHALATION:

Remove person to fresh air.

IF SWALLOWED:

Do not induce vomiting. If person is conscious give one to two glasses of water. Immediately call a physician.

-----  
7. PRECAUTIONARY INFORMATION  
-----

Avoid contact with eyes. Keep container closed when not in use. Keep out of reach of children.

EXPOSURE LIMITS

INGREDIENT	VALUE	UNIT	TYPE	AUTH	SKIN*
WATER.....	NONE	NONE	NONE	NONE	
ISOPROPANOL.....	400	PPM	TWA	ACGIH	
ISOPROPANOL.....	500	PPM	STEL	ACGIH	
ISOPROPANOL.....	400	PPM	TWA	OSHA	

Abbreviations: N/D - Not Determined N/A - Not Applicable

EXPOSURE LIMITS (continued)

INGREDIENT	VALUE	UNIT	TYPE	AUTH	SKIN*
ISOPROPANOL.....	500	PPM	STEL	OSHA	
2-BUTOXYETHANOL.....	25	PPM	TWA	ACGIH	Y
2-BUTOXYETHANOL.....	25	PPM	TWA	OSHA	Y
TETRASODIUM EDTA.....	NONE	NONE	NONE	NONE	
QUARTERNARY AMMONIUM CHLORIDE.....	NONE	NONE	NONE	NONE	

\* SKIN NOTATION: Listed substances indicated with 'Y' under SKIN refer to the potential contribution to the overall exposure by the cutaneous route including mucous membrane and eye, either by airborne or, more particularly, by direct contact with the substance. Vehicles can alter skin absorption.

SOURCE OF EXPOSURE LIMIT DATA:

- ACGIH: American Conference of Governmental Industrial Hygienists
- OSHA: Occupational Safety and Health Administration
- NONE: None Established

8. HEALTH HAZARD DATA

EYE CONTACT:

May cause eye irritation.

SKIN CONTACT:

Liquid may be irritating to the skin upon prolonged or repeated contact.

INHALATION:

N/A

IF SWALLOWED:

Liquid may be irritating to the digestive tract.

SECTION CHANGE DATES

HEADING SECTION CHANGED SINCE May 15, 1992 ISSUE

Abbreviations: N/D - Not Determined N/A - Not Applicable

-----  
The information in this Material Safety Data Sheet (MSDS) is believed to be correct as of the date issued. 3M MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

3M provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the MSDS available directly from 3M.