



MATERIAL SAFETY DATA SHEET

Section I - Identification

Manufacturer AGS Company(American Grease Stick Co.) Phone 616-733-2101  
2651 Hoyt Street  
Muskegon Hts., MI 49444  
Trade Name STOP Oil Leaks (Cat. No. OS-12)  
Common Name STOP Oil Leaks Chemical Family Mixture

Section II - Hazardous Ingredients

<u>Hazardous Ingredient</u>	<u>CAS No.</u>	<u>Wgt. %</u>	<u>TLV</u>
1. <u>Mineral Oil</u>		<u>95-99%</u>	<u>5 mg/m<sup>3</sup></u>
2. _____			
3. _____			
4. _____			
5. _____			
6. _____			
7. _____			
8. _____			
9. _____			
10. _____			
11. _____			
12. _____			

Section III - Physical Data

Ph as Supplied Not Determined Boiling Point Not Determined  
Ph - Diluted Not Applicable % Volatiles Nil  
Water Solubility Insoluble Vapor Press Nil  
Specific Grav. (H<sub>2</sub>O=1) 0.90 Vapor Density (Air=1) 1  
Melt Point Not Applicable Evap. Rate Nil  
Appearance Clear, light colored liquid with characteristic odor.

Issue Date 11/12/85

Section IV - Fire & Explosion Data

Flash Pt. 315° F. Method C.O.C.  
Auto Ignition Temp. 675° F. (estimated)  
Flammable Limits LEL Not Determined UEL Not Determined  
Extinguishing Media Water fog, chemical foam, dry chemical and carbon dioxide.  
Special Procedures Wear self-contained breathing apparatus when fire fighting in confined spaces. Water fog may be used to minimize vapor concentration.  
Unusual Hazards None Known

Section V - Reactivity Data

Unstable Conditions and Auto Reactive Stable  
Incompatible Materials Strong Oxidizers  
Hazardous Decomposition Products Oxides of carbon

Section VI - Emergency First Aid

Eyes Flush with water for at least 15 minutes. Get medical attention if irritation persists.  
Skin Wash with soap and water. If adverse effects occur, get medical attention.  
Ingestion Do not induce vomiting. Get medical attention.  
Inhalation Move person to fresh air. Administer oxygen or artificial respiration. Consult a physician.

Issue Date 11/12/85

Section VII - Health Effects

Eyes May cause irritation.

Skin May cause irritation.

Inhalation Inhalation of fumes or mist may cause respiratory problems.

Ingestion May cause nausea, vomiting and/or diarrhea.

Other Effects Aspiration into lungs may cause chemical pneumonitis.

Section VIII - Ventilation and Protective Measures

Ventilation Requirements Suitable to maintain an air concentration below TLV.

Protective Equipment

Respiratory Wear a NIOSH-approved respirator, where the TLV is exceeded or not known.

Eye Safety glasses with side shields.

Gloves Oil impervious rubber

Other Eye wash in area.

Issue Date 11/12/85

Product - STOP Oil Leaks (OS-12)

Section IX - Storage and Handling Procedures

Conditions to Avoid Avoid strong oxidizers

Other Precautions None

Section X - Spill Procedures and Waste Disposal

Accidental Release or Spill Procedures Absorb on an inert material.

Waste Disposal Method Not Determined

Special Restrictions on Waste Disposal Removal by an approved,  
licensed waste hauler.

Approved By Charles F. Demma

Issue Date 11/12/85

The Information Herein Is Given In Good Faith, But No Warranty,  
Expressed Or Implied, Is Made.